

BEST AVAILABLE COPY




Fig. 1

BEST AVAILABLE COPY




FIG. 2




FIG. 3



FIG. 4



FIG. 5








FIG. 6

BEST AVAILABLE COPY



**FIG. 10A**

BEST AVAILABLE COPY





FIG. 10B

BEST AVAILABLE COPY







FIG. 11

BEST AVAILABLE COPY

PSD mask definition for upstream transmission from SM class 4 TU.

Frequency (kHz)	PSD (dBm/Hz)	Frequency (kHz)	PSD (dBm/Hz)	Frequency (kHz)	PSD (dBm/Hz)
≤1	-54.2	220	-34.4	555	-102.6
2	-42.1	255	-34.4	800	-105.6
10	-37.8	276	-41.1	1400	-108
175	-37.8	300	-77.6	≥ 2000	-108

PSD mask for upstream transmission from SM class 4 TU-R

FIG. 12

BEST AVAILABLE COPY

PSD mask definition for downstream transmission from SM class 4

Frequency (kHz)	PSD (dBm/Hz)	Frequency (kHz)	PSD (dBm/Hz)	Frequency (kHz)	PSD (dBm/Hz)
51	-54.2	280	-35.7	1000	-89.2
2	-42.2	375	-35.7	2000	-99.7
12	-39.2	400	-40.2	>3000	-108
180	-39.2	440	-68.2		
236	-46.2	600	-76.2		

PSD mask for downstream transmission from SM class 4 TU-C



FIG. 13